

planika

OUTDOOR FIREPLACES

DESIGN
BEV TECHNOLOGY
ECOLOGY

2026

INDEX

INTRODUCTION

01 OUR STORY

OUTDOOR COLLECTION

04 AUTOMATIC BEV[®] FIREPLACES

14 GAS FIREPLACES

32 COMMERCE[®] FIREPLACES



ourstory



Over 20 years ago, a simple bonfire beneath the iconic Ayers Rock in Australia ignited a vision. Inspired by the captivating flames and ancient Aboriginal tales, Alfred Weilandt and Jerry Dąbrowski set out to create a way to bring fire into contemporary interiors—without the soot, ash, or need for a chimney. This idea led to the development of automatic bioethanol fireplaces, combining advanced technology, safety, and the timeless appeal of natural flames. Powered by our patented BEV® Technology, these fireplaces burn cleanly and efficiently, offering a modern, environmentally friendly solution for creating a warm, inviting atmosphere.

As our expertise grew, so did our portfolio. To complement our bioethanol fireplaces, we introduced additional technologies: gas fireplaces for easy installation and reliable performance, water vapour fireplaces for a lifelike, emission-free flame effect using only water and light, and electric fireplaces with customizable LED flames. While bioethanol remains the heart of what we do, these innovations allow us to meet diverse needs and enhance the possibilities of fire design in any space.

At the core of Planika's success is a dedication to quality, sustainability, and family values. A few years ago, Jarosław Dąbrowski's daughter, Patrycja Gierak, joined our team, bringing fresh energy to the legacy of craftsmanship and trust. Our team operates without hierarchy, ensuring creativity and passion guide every product we create.

With a presence in over 100 countries and a focus on ecological responsibility, Planika continues to lead the way in advanced fire technologies—delivering solutions that combine innovation, design, and respect for the environment.

~This made it possible to give you truly unique solutions in fire design.

Planika

AUTOMATIC BEV[®] FIREPLACES

OUTDOOR COLLECTION




Cabo Table Nacre
BEV[®] Outdoor Fireplace

OUTDOOR / INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL FIREPLACES (Net Zero® fireplace with BEV® Technology)



CABO BURNER




FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi
- 6 levels of flame
- Safety sensors
- Weather resistant

OPTIONAL ACCESSORIES

- Protective fabric cover

CABO KRETA / LAURENT / NACRE



FEATURES

- Cabo burner technical features
- 3 finish options with **DEKTON®** by Cosentino: Nacre/Laurent/Kreta

OPTIONAL ACCESSORIES

- Protective fabric cover

CABO BURNER / KRETA / LAURENT / NACRE

	max. 9.4 kW
	10.5 L
	max. 15 h
	min. 94 m³ (if used indoors)
	230 V



Cabo Nacre
BEV® Outdoor Fireplace



Cabo Laurent
BEV® Outdoor Fireplace

OUTDOOR / INDOOR ETHANOL FIRES

FIREPLACES IN TABLE (Net Zero® fireplace with BEV® Technology)



CABO TABLE LAURENT / KRETA / NACRE



FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- Weather resistant

OPTIONAL ACCESSORIES

- Protective fabric cover

AVAILABLE FINISHING VARIANTS

- 3 finish options with **DEKTON**® by Cosentino:
Laurent/Nacre/Kreta

CABO TABLE LAURENT / KRETA / NACRE	
	max. 9.4 kW
	10.5 L
	max. 15 h
	min. 94 m³
	230 V



OUTDOOR ETHANOL FIRES

AUTOMATIC ETHANOL FIREPLACE (Net Zero® fireplace with BEV® Technology)



COMET OUTDOOR



FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- CO₂ sensor
- Top finish: black powder coating
- Smart Home System compatible
- Custom Pillar housing

OPTIONAL ACCESSORIES

- Protective fabric cover for Comet Table
- Smart Home System module



Comet Outdoor
BEV® Burner

COMET TABLE



COMET OUTDOOR / COMET TABLE	
	max. 10.6 kW
	16.7 L
	max. 22 h
	min. 106 m ³
	230 V



Comet Table Nacre
BEV® Fireplace

OUTDOOR / INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL FIREPLACES (Net Zero® fireplace with BEV® Technology)



PORTO CORE



FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- Weather resistant
- Portable - includes wheels


OPTIONAL ACCESSORIES

- Protective fabric cover



Porto Nacre
BEV® Fireplace

PORTO KRETA / LAURENT / NACRE



FEATURES

- Porto core technical features
- 3 finish options with **DEKTON®** by Cosentino: Nacre/Laurent/Kreta

OPTIONAL ACCESSORIES

- Protective fabric cover



Porto Laurent
BEV® Outdoor Fireplace

PORTO CORE / KRETA / LAURENT / NACRE

	max. 3.7 kW
	5 L
	max. 14 h
	min. 37 m³ (if used indoors)
	230 V

GAS FIREPLACES

OUTDOOR COLLECTION




Galio Star Black
Gas Outdoor Fireplace

OUTDOOR GAS FIRES

GAS FIREPLACES (With automatic control system)


GALAXY 1150 / 2000 BURNER



FEATURES

- Automatic control system
- Remote control
- Wall switch panel
- Smart home compatible
- Fuel variants to choose before purchase:
Gas Cylinder (propane or propane-butane) or Natural Gas
- Thermocouple
- Smooth flame height regulation
- Easy to install

GALAXY NACRE / LAURENT / KRETA



FEATURES

- Galaxy burner technical features
- 3 finish options with **DEKTON**® by Cosentino: Nacre/Laurent/Kreta

OPTIONAL ACCESSORIES



	GALAXY 1150 BURNER / NACRE / LAURENT / KRETA	GALAXY 2000 BURNER
	(NG) max. 10.1kW (LPG) max. 13.4kW	(NG) max. 18.6 kW (LPG) max. 22 kW
	(NG) max. 0.96 m³/h (LPG) max. 0.95 kg/h	(NG) max. 1.77 m³/h (LPG) max. 1.56 kg/h
	(NG) 20 mbar (LPG) 37 mbar	(NG) 20 mbar (LPG) 37 mbar



Galaxy Laurent
Outdoor Gas Fireplace



Galaxy Nacre
Outdoor Gas Fireplace

OUTDOOR GAS FIRES

GAS FIREPLACES (With automatic control system)

GALAXY TABLE LAURENT / KRETA / NACRE




FEATURES

- Automatic control system
- Remote control
- Smart home compatible
- Fuel variants to choose before purchase:
Gas Cylinder (propane or propane-butane) or
Natural Gas
- Thermocouple
- Smooth flame height regulation
- Easy to install

AVAILABLE VARIANTS

- 3 finish options with **DEKTON**[®]
by Cosentino: Laurent/Kreta/Nacre

OPTIONAL ACCESSORIES




GALAXY TABLE LAURENT / KRETA / NACRE	
	(NG) max. 10.1kW (LPG) max. 13.4kW
	(NG) max. 0.96 m ³ /h (LPG) max. 0.95 kg/h
	(NG) 20 mbar (LPG) 37 mbar



OUTDOOR GAS FIRES

GAS FIREPLACES (With manual control system)


GALIO BURNER AUTOMATIC



FEATURES

- Fuel variants to choose before purchase:
Gas Cylinder (propane or propane-butane) or Natural Gas
- Automatic control:
- remote control included
- wall switch panel
- SHS compatible
- Thermocouple
- Smooth flame height regulation

GALIO BLACK / CORTEN AUTOMATIC



FEATURES

- Galio insert automatic technical features
- 2 finishing options: corten or black steel

OPTIONAL ACCESSORIES



	GALIO BURNER AUTOMATIC		GALIO BLACK / CORTEN AUTOMATIC
	1000 mm	2000 mm	1140 mm
	(NG) max. 9.4 kW (LPG) max. 11.8 kW	(NG) max. 16.5 kW (LPG) max. 16.5 kW	(NG) max. 9.4 kW (LPG) max. 11.8 kW
	(NG) max. 1.0 m³/h (LPG) max. 0.93 kg/h	(NG) max. 1.75 m³/h (LPG) max. 1.30 kg/h	(NG) max. 1.0 m³/h (LPG) max. 0.93 kg/h
	(NG) 20 mbar (LPG) 37 mbar	(NG) 20 mbar (LPG) 37 mbar	(NG) 20 mbar (LPG) 37 mbar
	21.0 kg	33.0 kg	31.0 kg



Galio
Outdoor Gas Burner




Galio
Outdoor Gas Burner

OUTDOOR GAS FIRES

GAS FIREPLACES (With manual control system)


GALIO INSERT MANUAL



FEATURES

- Fuel variants to choose before purchase: Gas Cylinder (propane or propane-butane) or Natural Gas
- Manual control
- Thermocouple
- Smooth flame height regulation

GALIO BLACK / CORTEN MANUAL



FEATURES

- Galio insert manual technical features
- 2 finishing options: corten or black steel

OPTIONAL ACCESSORIES



GALIO INSERT MANUAL / GALIO BLACK MANUAL / GALIO CORTEN MANUAL	
	(NG) max. 13.6 kW (LPG) max. 11.8 kW
	(NG) max. 1.22 m ³ /h (LPG) max. 0.93 kg/h
	(NG) 20 mbar (LPG) 37 mbar
	13.0 kg / 31.0 kg



Galio Corten
Outdoor Gas Fireplace



Galio Black
Outdoor Gas Fireplace

OUTDOOR GAS FIRES

GAS FIREPLACES (With automatic control system)

GALIO STAR BURNER AUTOMATIC



FEATURES

- Automatic control system
- Fuel variants to choose before purchase: Gas Cylinder (propane or propane-butane) or Natural Gas
- Remote control
- Wall switch panel
- SHS compatible
- Thermocouple
- Smooth flame height regulation
- Decorated with black diamond stones
- For custom-built housing
- Easy to install

GALIO STAR CORTEN/BLACK AUTOMATIC



FEATURES

- Galio star insert automatic technical features
- 2 finishing options: Corten or black steel

OPTIONAL ACCESSORIES



	GALIO STAR BURNER AUTOMATIC	GALIO STAR CORTEN AUTOMATIC GALIO STAR BLACK AUTOMATIC
		(NG) max. 16.4 kW (LPG) max. 17.3 kW
		(NG) max. 1.5 m ³ /h (LPG) max. 1.4 kg/h
		(NG) 20 mbar (LPG) 37 mbar
	170 kg	370 kg



Galio Star Black Automatic
Outdoor Gas Fireplace



Galio Star Black Automatic
Outdoor Gas Fireplace

OUTDOOR GAS FIRES

GAS FIREPLACES (With automatic control system)

STELLA BURNER AUTOMATIC



FEATURES

- Fuel variants to choose before purchase:
Gas Cylinder (propane or propane-butane) or Natural Gas
- Automatic control:
 - remote control included
 - wall switch panel
 - SHS compatible
- Thermocouple
- Smooth flame height regulation
- Decorative stones
- For custom-built housing

STELLA TABLE NACRE/LAURENT/KRETA AUTOMATIC



FEATURES

- Stella insert automatic technical features
- 3 finish options with **DEKTON**® by Cosentino: Nacre/Laurent/Kreta

OPTIONAL ACCESSORIES



	STELLA INSERT AUTOMATIC			STELLA TABLE AUTOMATIC
	500 mm	600 mm	800 mm	941 mm
	(NG) max. 5.6 kW (LPG) max. 5.1 kW	(NG) max. 7.9 kW (LPG) max. 12.6 kW	(NG) max. 16.4 kW (LPG) max. 17.3 kW	(NG) max. 7.9 kW (LPG) max. 12.6 kW
	(NG) max. 0.5 m ³ /h (LPG) max. 0.4 kg/h	(NG) max. 0.71 m ³ /h (LPG) max. 0.98 kg/h	(NG) max. 1.47 m ³ /h (LPG) max. 1.35 kg/h	(NG) max. 0.71 m ³ /h (LPG) max. 0.98 kg/h
	(NG) 20 mbar (LPG) 37 mbar			



Stella Burner
Outdoor Gas Burner



Stella Table Nacre
Outdoor Gas Fireplace

OUTDOOR GAS FIRES

GAS FIREPLACES (With automatic control system)


GALIO H BURNER AUTOMATIC



FEATURES

- Automatic control system
- Fuel variants to choose before purchase: Gas Cylinder (propane or propane-butane) or Natural Gas
- Remote control
- Wall switch panel
- SHS compatible
- Thermocouple
- Smooth flame height regulation
- Decorated with black diamond stones
- Easy to install
- For custom-built housing

MICO BURNER AUTOMATIC



FEATURES

- Fuel variants to choose before purchase: Gas Cylinder (propane or propane-butane) or Natural Gas
- Automatic control:
 - remote control included
 - wall switch panel
 - SHS compatible
- Thermocouple
- Smooth flame height regulation
- Decorative stones
- For custom-built housing

OPTIONAL ACCESSORIES



	GALIO H INSERT AUTOMATIC		MICO AUTOMATIC	
	600 mm		500 mm	600 mm 800 mm
	(NG) max. 9.4 kW (LPG) max. 11.8 kW		(NG) max. 5.6 kW (LPG) max. 5.1 kW	(NG) max. 7.9 kW (LPG) max. 12.6 kW (NG) max. 16.4 kW (LPG) max. 17.3 kW
	(NG) max. 1.0 m ³ /h (LPG) max. 0.9 kg/h		(NG) max. 0.5 m ³ /h (LPG) max. 0.4 kg/h	(NG) max. 0.71 m ³ /h (LPG) max. 0.98 kg/h (NG) max. 1.47 m ³ /h (LPG) max. 1.35 kg/h
	(NG) 20 mbar (LPG) 37 mbar			(NG) 20 mbar (LPG) 37 mbar



Galio H Burner Automatic
Outdoor Gas Burner



Mico Burner
Outdoor Gas Fireplace

OUTDOOR GAS FIRES

GAS FIREPLACES (With automatic and manual control system)


LIGHTHOUSE



FEATURES

- Fueled with propane or propane-butane
- Thermocouple
- Tempered glass
- Anti-tilt valve
- Decorated with black diamond stones
- Freestanding

OPTIONAL ACCESSORIES



COVER

LIGHTHOUSE	
	(LPG) max. 7.0 - 10.0 kW
	(LPG) max. 0.50 - 0.65 kg/h
	(LPG) 37 mbar
	27.5 kg



Lighthouse
Gas Patio Heater

COMMERCE

FIREPLACES

OUTDOOR COLLECTION



Totem/Simple Commerce
The Address Downtown

OUTDOOR / INDOOR ETHANOL FIRES

COMMERCE TECHNOLOGY™ (Absorbent Ceramic Fibers)



TOTEM



JAR



RONDO



SIMPLE

FEATURES

- Easy refilling system
- Safe burning technology
- No electricity required

OPTIONAL ACCESSORIES



	TOTEM	JAR	RONDO	SIMPLE
	[ØxH] 395 x 1070 mm	[ØxH] 410 x 795 mm	[ØxH] 412 x 412 mm	[ØxH] 308 x 418 mm
	24.5 kg	41.5 kg	70kg	6.5 kg
	max. 2.5 kW	max. 2.5 kW	max. 2.5 kW	max. 2.5 kW
	3.0 L	3.0 L	3.0 L	1.5 L
	max. 7 h	max. 7 h	max. 7 h	max. 3.5 h
	min. 25 m³	min. 25 m³	min. 25 m³	min. 25 m³

All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Planika Sp. z o.o. disclaims any and all liability arising out of the application or use of any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o.. Customers using or selling Planika Sp. z o.o.'s products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only.